



Please type a plus sign (+) inside this box → ☐

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

TRANSMITTAL FORM

(to be used for all correspondence after initial filing)

Application Number

10/695,297

Filing Date

OCTOBER 28, 2003

First Named Inventor

ROY CHUNG ET AL.

Group Art Unit

1641

Examiner Name

Total Number of Pages in This Submission

Attorney Docket Number

MCROD-002CB

ENCLOSURES (check all that apply)

- ☐ Fee Transmittal Form
- ☐ Fee Attached
- ☒ Amendment / Reply
- ☐ After Final
- ☐ Affidavits/declaration(s)
- ☐ Extension of Time Request
- ☐ Express Abandonment Request
- ☐ Information Disclosure Statement
- ☐ Certified Copy of Priority Document(s)
- ☐ Response to Missing Parts/Incomplete Application
- ☐ Response to Missing Parts under 37 CFR 1.52 or 1.53

- ☐ Assignment Papers (for an Application)
- ☐ Drawing(s)
- ☐ Licensing-related Papers
- ☐ Petition
- ☐ Petition to Convert to a Provisional Application
- ☐ Power of Attorney, Revocation Change of Correspondence Address
- ☐ Terminal Disclaimer
- ☐ Request for Refund
- ☐ CD, Number of CD(s) _____

- ☐ After Allowance Communication to Group
- ☐ Appeal Communication to Board of Appeals and Interferences
- ☐ Appeal Communication to Group (Appeal Notice, Brief, Reply Brief)
- ☐ Proprietary Information
- ☐ Status Letter
- ☒ Other Enclosure(s) (please identify below):

REQUEST TO CORRECT PAIR;
CERTIFICATE OF MAILING;
POSTCARD

Remarks


Please charge any additional fees or credit overpayment to Deposit Account #19-4330.

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT

Firm
or
Individual name

MATTHEW A. NEWBOLES
STETINA BRUNDA GARRED & BRUCKER

Signature


8/21/07

Date


CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, Washington, DC 20231 on this date:

Typed or printed name

LINDA JOHNSON

Signature



Date

8-21-07

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

ATTORNEY DOCKET NO: MCROD-002CB

TITLE: IMPROVED IMMUNOASSAY SYSTEM

Serial No.: 10/695,297

Filing Date: OCTOBER 28, 2003



Certificate of Mailing under 37 CFR 1.8 or 37 CFR 1.10

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

Mail Stop AMENDMENT
Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

on August 21, 2007

A handwritten signature in cursive script, appearing to read "Linda Johnson", written over a horizontal line.


(Signature)

LINDA JOHNSON

Note: Each paper must have its own certificate of mailing, or this certificate must identify each submitted paper.

1. TRANSMITTAL;
2. AMENDMENT & REQUEST TO CORRECT PAIR;
3. CERTIFICATE OF MAILING;
4. RETURN POSTCARD.

Application No.: 10/695,297
Response to Office Action of February 9, 2007
Attorney Docket: MCROD-002CB



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:	Chung et al.)	Confirmation No.	4182
)		
Serial No.:	10/695,297)	Art Unit:	1641
)		
Filed:	October 28, 2003)	Examiner:	Bao-Thuy L. Nguyen
)		
For:	Improved Immunoassay System)		
)		

AMENDMENT & REQUEST TO CORRECT PAIR SYSTEM

"PARENT CONTINUITY DATA"

Mail Stop AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In connection with the above-identified patent application, please enter the following amendment:

Amendments to the Specification begin on page 2 of this document, and

Remarks begin on page 3 of this document.